Volume 60

Author Index

Albuquerque, C.d., see Bouteille, B., (60) 73
Alecrim, W.D., see Charlwood, J.D., (60) 3
Anacona, D., see González, J., (60) 225
Anika, S.M., see Odika, I.E., (60) 119
Anjili, C.O., see Ingonga, P., (60) 269
Anjili, C.O., Mbati, P.A., Mwangi, R.W., Githure, J.I. and Koech, D.K.
A simple method for maintaining, detecting and recovering virulent *Leishmania donovani* in hamsters, (60) 263
Anjili, C.O., Mbati, P.A., Mwangi, R.W., Githure, J.I., Olobo, J.O., Robert, L.L. and Koech, D.K.
The chemotactic effect of *Phlebotomus duboscqi* (Diptera: Psychodidae) salivary gland lysates to murine monocytes, (60) 97
Assoku, R.K.G., see Kroeger, A., (60) 47
Assoku, R.K.G., see Bosompem, K.M., (60) 81
Asuzu, I.U., see Odika, I.E., (60) 119

Balkew, M., see Hailu, A., (60) 15
Barral, A., see Barral-Netto, M., (60) 237
Barral-Netto, M., Von Sohsten,R.L., Teixeira, M., Pompeu, M.L., Moreira, R.A., Oliveira, J.T.A., Cavada, B.S., Falcoff, E., Barral, A.
In vivo protective effect of the lectin from *Canavalia brasiliensis* on BALB/c mice infected by *Leishmania amazonensis*, (60) 237
Becker, N., see Kroeger, A., (60) 47
Becker, N., see Bosompem, K.M., (60) 81
Berhe, N., see Hailu, A., (60) 15
Betschart, B., see Schlimme, W., (60) 141
Bøgh, H.O., see Gasser, R.B., (60) 127
Bont, L., see Scholte, R., (60) 109
Boreham, P.F.L., see Upcroft, J.A., (60) 35
Bosompem, K.M., see Kroeger, A., (60) 47
Bosompem, K.M., Moloo S.K., Assoku, R.K.G. and Nantulya , V.M.
Detection and differentiation between trypanosome species in experimentally infected tsetse flies (*Glossina* spp.) using dot-ELISA, (60) 81
Bouteille, B., Marie-Daragon, A., Chauvière, G., Albuquerque, C. de, Enang B., Dardé, M.-L., Vallat, J.-M., Périé, J. and Dumas, M.
Effect of megazol on *Trypanosoma brucei brucei* acute and subacute infections in Swiss mice, (60) 73
Brattig, N.W., see Rubio de Krömer, M.T., (60) 21
Bundy, D.A.P., see Das, P.K., (60) 159
Burri, M., see Schlimme, W., (60) 141
Büscher, P., see Van Meirvenne, N., (60) 189

Campbell, R.W., see Upcroft, J.A., (60) 35
Cavada, B.S., see Barral-Netto, M., (60) 237
Charlwood, J.D., Alecrim, W.D., Fe, N., Mangabeira, J. and Martins, V.J.
A field trial with Lambda-cyhalothrin (ICON) for the intradomiciliary control of malaria transmitted by *Anopheles darlingi* Root in Rondonia, Brazil, (60) 3
Chauvière, G., see Bouteille, B., (60) 73
Costa, S.S., see Da Silva, S.A.G., (60) 201

Da Silva, S.A.G., Costa, S.S., Mendonça, S.C.F., Silva, E.M., Moraes, V.L.G. and Rossi-Bergmann, B.
Therapeutic effect of oral Kalanchoe pinnata leaf extract in murine leishmaniasis, (60) 201
Dardé, M.-L., see Bouteille, B., (60) 73
Das, P.K., Subramanian, S., Manoharan, A., Ramaiah, K.D., Vanamail, P., Grenfell, B.T., Bundy, D.A.P. and Michael, E.
Frequency distribution of Wuchereria bancrofti infection in the vector host in relation to human host: evidence for density dependence, (60) 159
de Carvalho Pinto, C.J., see Steindel, M., (60) 167
(de) La Rocque, S., see Desquesnes, M., (60) 133
de la Torre, P., Ortiz-Ortiz, L. and Lamoyi, E.
Carbohydrate epitopes of *Entamoeba histolytica* cell surface glycoproteins are major targets of the human humoral response, (60) 59
Desquesnes, M., (de) La Rocque, S. and Peregrine, A.S.
French Guyanan stock of *Trypanosoma vivax* resistant to diminazene aceturate but sensitive to isometamidium chloride, (60) 133
Dumas, M., see Bouteille, B., (60) 73

Enanga, B., see Bouteille, B., (60) 73

Falcoff, E., see Barral-Netto, M., (60) 237
Fe, N., see Charlwood, J.D., (60) 3
Foley, D.H., see Hope, M., (60) 101

Gasser, R.B., Nansen, P. and Bøgh, H.O.
Specific fingerprinting of nematodes by PCR with single primers to defined repetitive elements, (60) 127
Gemetchu, T., see Hailu, A., (60) 15
Githure, J.I., see Ingonga, P., (60) 269
Githure, J.I., see Anjili, C.O., (60) 97
Githure, J.I., see Anjili, C.O., (60) 263
González, J., Neira, I., Gutiérrez, B., Anacona, D., Manque, P., Silva, X., Marín, S., Sagua, H. and Vergara, U.
Serum antibodies to *Trypanosoma cruzi* antigens in Atacameños patients from highland of northern Chile, (60) 225
Grenfell, B.T., see Das, P.K., (60) 159
Grisard, E.C., see Steindel, M., (60) 167
Gutiérrez, B., see González, J., (60) 225

Hailu, A., Balkew, M., Berhe, N., Meredith, S.E.O. and Gemetchu, T.
Is *Phlebotomus* (Larroussius) *orientalis* a vector of Visceral Leishmaniasis in South-west Ethiopia?, (60) 15
Hecker, H., see Schlimme, W., (60) 141
Hope, M., Foley, D.H. and McManus, D.P.
Electrophoretically-detected allozyme variation reveals only moderate differentiation between Chinese and Philippine *Schistosoma japonicum*, (60) 101
Horstick, O., see Kroeger, A., (60) 47
Horstick, O., see Bosompem, K.M., (60) 81

Ingonga, P., Mbati, P.A., Anjili, C.O., Mutani, A., Wishitemi, B., Odongo, S., Robert, L.L. and Githure, J.I.
The effect of immune sera from hamsters immunized with sandfly gut and whole body extract antigens on the fecundity and mortality of *Phlebotomus duboscqi* (Diptera: Psychodidae), (60) 269
Ishida, M.M.I., see Steindel, M., (60) 167

Javadian, E., see Yaghoobi-Ershadi, M.R., (60) 155

Kaiser, A., see Kroeger, A., (60) 47
Kaiser, A., see Bosompem, K.M., (60) 81
Kannani, A., see Yaghoobi-Ershadi, M.R., (60) 155
Khalifa, L., see Rosales, M.J., (60) 211
Koech, D.K., see Anjili, C.O., (60) 97
Koech, D.K., see Anjili, C.O., (60) 263
Kroeger, A., Horstick, O., Riedl, C., Kaiser, A. and Becker, N.
The potential for malaria control with the biological larvicide *Bacillus thuringiensis israelensis* (*Bti*) in Peru and Ecuador, (60) 47
Kroeger, A., see Bosompem, K.M., (60) 81

Lamoyi, E., see de la Torre, P., (60) 59

Magnus, E., see Van Meirvenne, N., (60) 189
Magnussen, P., see Simonsen, P.E., (60) 179
Makunde, W.H., see Simonsen, P.E., (60) 179
Mangabeira, J., see Charlwood, J.D., (60) 3
Manoharan, A., see Das, P.K., (60) 159
Manque, P., see González, J., (60) 225
Marcondes, M.C.G., see Takeda, G.K.F., (60) 215
Marie-Daragon, A., see Bouteille, B., (60) 73
Marín, S., see González, J., (60) 225
Martins, V.J., see Charlwood, J.D., (60) 3
Mascaró, C., see Rosales, M.J., (60) 211
Mbati, P.A., see Anjili, C.O., (60) 97
Mbati, P.A., see Anjili, C.O., (60) 263
Mbati, P.A., see Ingonga, P., (60) 269
McManus, D.P., see Hope, M., (60) 101
Medina-De la Garza, C.E., see Rubio de Krömer, M.T., (60) 21
Mello, E.A.G., see Takeda, G.K.F., (60) 215
Mendonça, S.C.F., see Da Silva, S.A.G., (60) 201
Meredith, S.E.O., see Hailu, A., (60) 15
Meyrowitsch, D.W., see Simonsen, P.E., (60) 179
Michael, C., see Scott, A.G., (60) 251
Michael, E., see Das, P.K., (60) 159
Moloo, S.K., see Bosompem, K.M., (60) 81
Moloo, S.K., see Kroeger, A., (60) 47
Moraes, V.L.G., see Da Silva, S.A.G., (60) 201
Moreira, R.A., see Barral-Netto, M., (60) 237
Murta, S.M.F., see Steindel, M., (60) 167
Mutani, A., see Ingonga, P., (60) 269
Mwangi, R.W., see Anjili, C.O., (60) 97
Mwangi, R.W., see Anjili, C.O., (60) 263

Nansen, P., see Gasser, R.B., (60) 127
Nantulya , V.M., see Kroeger, A., (60) 47
Nantulya , V.M., see Bosompem, K.M., (60) 81
Neira, I., see González, J., (60) 225

Odika, I.E., Asuzu, I.U. and Anika, S.M.
The effects of hyperosmolar agents lithium chloride and sucrose on the brain concentration of diminazene aceturate in rats, (60) 119
Odongo, S., see Ingonga, P., (60) 269
Oliveira, J.T.A., see Barral-Netto, M., (60) 237
Olobo, J.O., see Anjili, C.O., (60) 97

Ortiz-Ortiz, L., see de la Torre, P., (60) 59

Peregrine, A.S., see Desquesnes, M., (60) 133
Périé, J., see Bouteille, B., (60) 73
Plasai, V. and Spielman, A.
Mefloquine insusceptibility of malaria in Thailand not promoted by nonregulated drug-use, (60) 281
Polderman, A.M., see Scholte, R., (60) 109
Pompeu, M.L., see Barral-Netto, M., (60) 237

Ramaiah, K.D., see Das, P.K., (60) 159
Ribeiro-Rodrigues, R., see Steindel, M., (60) 167
Riedl, C., see Kroeger, A., (60) 47
Riedl, C., see Bosompem, K.M., (60) 81
Robert, L.L., see Anjili, C.O., (60) 97
Robert, L.L., see Ingonga, P., (60) 269
Romanha, A.J., see Steindel, M., (60) 167
Rosales, M.J., Khalifa, L. and Mascaró, C.
Short communication Inhibitory effect of cycloheximide and antifibronectin serum on the infection of mdck cells by *cryptosporidium*, (60) 211
Rossi-Bergmann, B., see Da Silva, S.A.G., (60) 201
Rubio de Krömer, M.T., Medina-De la Garza, C.E. and Brattig, N.W.
Differences in eosinophil and neutrophil chemotactic responses in sowda and generalized form of onchocerciasis, (60) 21
Russo, M., see Takeda, G.K.F., (60) 215

Sagua, H., see González, J., (60) 225
Same-Ekobo, A., see Scholte, R., (60) 109
Santos, W.L.d., see M. Barral-Netto, (60) 237
Schlemper, B.R. Jr., see Schlimme, W., (60) 141
Schlemper, B.R. Jr.,, see Steindel, M., (60) 167
Schlimme, W., Burri, M., Betschart, B., Schlemper, B.R. Jr. and Hecker, H.
Properties of the histones and functional aspects of the soluble chromatin of epimastigote *Trypanosoma cruzi*, (60) 141
Scholte, R., Same-Ekobo, A., Slootweg, R., Bont, L. and Polderman, A.M.
The contribution of existing health facilities to the control of urinary schistosomiasis in northern Cameroon, (60) 109
Scott, A.G., Tait, A., Turner, C.M.R.
Characterisation of cloned lines of *Trypanosoma brucei* expressing stable resistance to MelCy and Suramin, (60) 251
Shepherd, R.W., see Upcroft, J.A., (60) 35
Silva, E.M., see Da Silva, S.A.G., (60) 201
Silva, X., see González, J., (60) 225
Simonsen, P.E., Meyrowitsch, D.W., Makunde, W.H. and Magnussen, P.
Bancroftian filariasis: the pattern of microfilaraemia and clinical manifestations in three endemic communities of Northeastern Tanzania, (60) 179
Slootweg, R., see Scholte, R., (60) 109
Spielman, A., see Plasai, V., (60) 281
Starobinas, N., see Takeda, G.K.F., (60) 215
Steindel, M., Toma, H.K., Ishida, M.M.I., Murta, S.M.F., Carvalho Pinto, de C.J., Grisard, E.C., Ribeiro-Rodrigues, R., Schlemper, B.R. Jr. and Romanha, A.J.
Biological and isoenzymatic characterization of *Trypanosoma cruzi* strains isolated from sylvatic reservoirs and vectors from the state of Santa Catarina, Southern Brazil, (60) 167
Stolf, A.M.S., see Takeda, G.K.F., (60) 215
Subramanian, S., see Das, P.K., (60) 159

Tait, A., see A.G. Scott, (60) 251
Takeda, G.K.F., Starobinas, N., Marcondes, M.C.G., Mello, E.A.G., Russo, M. and Stolf, A.M.S.
Short communication Oral administration of fish-oil induces high levels of seric TNF in *Trypanosoma cruzi* infected C57BL/6 mice, (60) 215
Teixeira, M., see Barral-Netto, M., (60) 237
Toma, H.K., see Steindel, M., (60) 167
Turner, C.M.R. see Scott, A.G., (60) 251

Upcroft, J.A., Boreham, P.F.L., Campbell, R.W., Shepherd, R.W. and Upcroft, P.
Biological and genetic analysis of a longitudinal collection of *Giardia* samples derived from humans, (60) 35
Upcroft, P., see Upcroft, J.A., (60) 35

Vallat, J.-M., see Bouteille, B., (60) 73
Van Meirvenne, N., Magnus, E. and Büscher, P.
Evaluation of variant specific trypanolysis tests for serodiagnosis of human infections with *Trypanosoma brucei gambiense*, (60) 189
Vanamail, P., see Das, P.K., (60) 159
Vergara, U., see González, J., (60) 225
Von Sohsten, R.L., see Barral-Netto, M., (60) 237

Wishitemi, B., see Ingonga, P., (60) 269

Yaghoobi-Ershadi, M.R., Javadian, E. and Kannani, A.
Host preference pattern of phlebotomine sandflies of Borkhar rural district, Isfahan province, Iran, (60) 155

Volume 60

Key Word Index

Allozymes, (60) 101
Amebic liver abscess, (60) 59
Amino acid analysis, (60) 141
Anopheles darlingi, (60) 3
Antigens, (60) 59, (60) 225

BALB/c, (60) 97
Biological behaviour, (60) 167
Biological larvicide, (60) 47, (60) 81
Blood-brain-barrier, (60) 119
Brazil, (60) 3
Bti, (60) 47, (60) 81

Cameroon, (60) 109
Canavalia brasiliensis, (60) 237
Carbohydrate epitopes, (60) 59
Case detection, (60) 109
Chagas' disease, (60) 167, (60) 225
Chagas disease, (60) 215, (60) 215
Chemotaxis, (60) 21, (60) 97
Children, (60) 35
Chromatin, (60) 141
Control, (60) 3, (60) 109
Cryptosporidium, (60) 211
Culex quinquefasciatus, (60) 159
Cycloheximide, (60) 211
Cymelarsan, (60) 251

DDT, (60) 3
Demes, (60) 35
Diminazene aceturate, (60) 119, (60) 133
Dissociation, (60) 141
DNA fingerprinting, (60) 127
Dot-ELISA, (60) 47, (60) 81
Drug-resistance, (60) 251
Drug combinations, (60) 73
Drug resistance, (60) 133

Electrophoretic karyotype, (60) 35
Elephantiasis, (60) 179
Entamoeba histolytica, (60) 59
Enzyme electrophoresis, (60) 101
Eosinophils, (60) 21
EPA, (60) 215, (60) 215
Epidemiology, (60) 179
Epimastigote forms, (60) 141
Experimental leishmaniasis, (60) 237

Fecundity, (60) 269
Fibronectin, (60) 211
Filariasis, (60) 179
Fish oil, (60) 215, (60) 215
Folk-healers, (60) 281
Frequency distribution, (60) 159

Genetic distance, (60) 101
Giardia, (60) 35
Glycoproteins, (60) 59
Growth-inhibition assay, (60) 251

Hamsters, (60) 263
Health services, (60) 109
High stringency PCR, (60) 127
Histone H1, (60) 141
Host preference, (60) 155
Human antibody response, (60) 59
Humoral immunity, (60) 225
Hydrocele, (60) 179

ICON, (60) 3
Immune trypanolysis, (60) 189
Infectivity, (60) 263
Interferon-γ, (60) 237
Iran, (60) 155
Isometamidium chloride, (60) 133

Kalanchoe, (60) 201

Leishmania, (60) 201, (60) 237
Leishmania amazonensis, (60) 237
Leishmania donovani, (60) 15, (60) 263
Leishmaniasis, (60) 155, (60) 201, (60) 237
Lithium chloride, (60) 119
Lower Omo plains, (60) 15
Lytic antibodies, (60) 225

Malaria, (60) 281
Malaria control, (60) 47, (60) 81
MDCK cells, (60) 211
Mefloquine-insusceptibility, (60) 281
Megazol, (60) 73
Megazol derivatives, (60) 73
Melarsoprol, (60) 251
Microfilaraemia, (60) 179
Midgut, (60) 47, (60) 81
Monocyte, (60) 97
Mortality, (60) 269

Mouthpart, (60) 47, (60) 81

Negative binomial, (60) 159
Neutrophilic granulocytes, (60) 21
Nonregulated antimalarials, (60) 281

Onchocerciasis, (60) 21

Parasitic nematode, (60) 127
Pathogenicity, (60) 35
Phlebotomine sandflies, (60) 155
Phlebotomus duboscqi, (60) 97
Phlebotomus duboscqi: Gut antigen, (60) 269
Phlebotomus orientalis, (60) 15
Phlebotomus papatasi, (60) 155
Promastigotes, (60) 263

rDNA, (60) 35
Reconstitution, (60) 141
Repetitive sequence element, (60) 127
Residual spray, (60) 3
Ribosomal DNA, (60) 101

Salivary gland, (60) 47, (60) 81
Salivary gland lysate, (60) 97
Schistosoma, (60) 101
Schistosoma haematobium, (60) 109
Self-medication, (60) 281
Serodiagnosis, (60) 189
S. japonicum, (60) 101
Sleeping sickness, (60) 189
South America, (60) 133
Strains, (60) 101, (60) 167
Strain variation, (60) 101
Sucrose, (60) 119
Suramin, (60) 251

Tanzania, (60) 179
Tegumentary leishmaniasis, (60) 237
TNF, (60) 215, (60) 215
Treatment, (60) 73, (60) 201
Trypanosoma brucei, (60) 251
Trypanosoma brucei brucei, (60) 73
Trypanosoma brucei gambiense, (60) 189
Trypanosoma cruzi, (60) 141, (60) 167, (60) 215, (60) 215, (60) 225
Trypanosoma vivax, (60) 133
Trypanosome, (60) 47, (60) 81
Trypanosomiasis, (60) 119
Tsetse fly, (60) 47, (60) 81

Variable antigen, (60) 189
Vector, (60) 15, (60) 159
Virulence, (60) 263
Visceral leishmaniasis, (60) 15

Wuchereria bancrofti, (60) 159, (60) 179

Zymodeme, (60) 167